

14 Wall & Ceiling LED>The COB Moving Heads Spots Die cast

65110B/W/W



10W COB Moving head spot suitable for wall and ceiling installation, IP20 .

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Gallery



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The COB Moving Heads Spots Die cast
Order Code	65110B/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	157mm


Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Gear	Built In
Fitting & Driver	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	36V
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Epistar
Gear	

57mm

Width

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8-12W
Power Factor	0,9
Constant Current	Yes
250mA	32-48V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Manufacturer	Eaglerise
Illumination Data	
Colour Temperature	3000K
Lumen Output	900lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	60
Illumination Diagram	
Packing Info	
Box Length	15cm
Box Width	10,5cm
Box Height	21cm
Box Weight	0,75kg
Pcs/Carton	10
Barcode	5291889047384
HS Code	9405409900

Energy Label



Certification	& W	/arrantv

Warranty	2 Years
Weee Directive	Yes