


14 Wall & Ceiling LED>The COB Moving Heads Spots Die cast

65110F/W/W



4X10W COB Moving head spot suitable for ceiling installation, IP20

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Gallery



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The COB Moving Heads Spots Die cast
Order Code	65110F/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	255mm

Width	255mm
Height	60mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	2 Directions
lectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4X10W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	<u>F</u>
Fitting	
Input Type	Constant Current
Input Current	1000mA
Voltage	36V
Power(Watts)	4x9W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Epistar
LED Number	4

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	27-42W
Power Factor	0,9
Constant Current	Yes
1000mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Manufacturer	Eaglerise
Ilumination Data	
	3000K
Colour Temperature	3000K 4X900lm
Colour Temperature Lumen Output	4X900lm
Colour Temperature Lumen Output Light Efficiency	4X900lm 90lm/W
Colour Temperature Lumen Output Light Efficiency CRI	4X900lm
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	4X900lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI	4X900lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	4X900lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	4X900lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	4X900lm 90lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	4X900lm 90lm/W 80 60

Energy Label



Weee Directive

Certification & Warranty	
Warranty	2 Years

Yes