



60W SMD LED track light.

Complete with 1500mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/W



40003A/W

Physical Specification

Item Group

10 Track Spots

Family

High Power Linear Track Light

Order Code

65170BT/W/C

Colour

White

Material

Aluminium

Shape


Rectangular

Length

1150mm


| | |
|---------------|------|
| Width | 40mm |
| Height | 64mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | No |

Electrical Characteristics


| | |
|------------------|---|
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 60W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

| | |
|---------------|------------------|
| Fitting | |
| Input Type | Constant Current |
| Input Current | 1500mA |
| Voltage | 39V |
| Power(Watts) | 58,5W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 3030 |
| LED Brand | Epistar |

| | |
|-----------|------------|
| Gear | |
| Gear Type | Led Driver |

| | |
|------------------|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 45-63W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 1500mA | 30-42V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | AGT |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 4000K |
| Lumen Output | 5400lm |
| Light Efficiency | 90lm/W |
| CRI | 90 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 12 |
| Barcode | 5291889068075 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

Warranty

3 Years

Weee Directive

Yes