

# 10 Track Spots>The COB Track Spot Range Aluminium

# 65611NT/W/W



15W track spot with COB LED, ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.






## Dimensions



#### Related items





40002A/W



Item Group

10 Track Spots

## Family

The COB Track Spot Range Aluminium

| Order Code | 65611NT/W/W |
|------------|-------------|
| Colour     | White       |
| Material   | Aluminium   |
| Shape      | Circular    |
| Height     | 110mm       |

| Diameter      | 80mm         |
|---------------|--------------|
| Track mounted | Yes          |
| Indoor        | Yes          |
| Adjustable    | 2 Directions |
|               |              |

## Electrical Characteristics

| Coor             | Built In         |
|------------------|------------------|
| Gear             |                  |
|                  |                  |
| Fitting + Driver |                  |
| Input Voltage    | 220-240V         |
| 50 Hz            | Yes              |
| 60 Hz            | Yes              |
| Safety Class     |                  |
| Power(Watts)     | 15W              |
| IP Rating        | IP20             |
| Light Source     | LED built in     |
| Dimmable         | No               |
|                  |                  |
| Fitting          |                  |
| Input Type       | Constant Current |
| Input Current    | 400mA            |
| Voltage          | 36V              |
| Safety Class     |                  |
| Power(Watts)     | 14,4W            |
| IP Rating        | IP20             |

| Light Source | LED built in |
|--------------|--------------|
| LED Type     | СОВ          |
| LED Brand    | Sanan        |
|              |              |
| Gear         |              |
| Gear Type    | Led Driver   |

| Input Voltage    | 220-240V                 |
|------------------|--------------------------|
| 50 Hz            | Yes                      |
| 60 Hz            | Yes                      |
| Power(Watts)     | 10-16W                   |
| Power Factor     | 0,9                      |
| Constant Current | Yes                      |
| 400mA            | 25-40V                   |
| IP Rating        | IP20                     |
| Safety Class     |                          |
| Dimmable         | No                       |
| Housing Material | Plastic                  |
| Output Terminal  | Connector                |
| Brand            | Lifud                    |
| Protection       | Short Circuit Protection |
|                  |                          |


# Illumination Data

| Colour Temperature   | 3000K  |
|----------------------|--------|
| Lumen Output         | 1200lm |
| Light Efficiency     | 80lm/W |
| CRI                  | 80     |
| Beam Angle           | 38°    |
| Illumination Diagram |        |

# Packing Info

| Box Width  | 13cm          |
|------------|---------------|
| Box Height | 10cm          |
| Pcs/Carton | 10            |
| Barcode    | 5291889057871 |
| HS Code    | 9405409900    |

# Energy Label



# Certification & Warranty

| Warranty       | 2 Years |
|----------------|---------|
| Weee Directive | Yes     |