

10 Track Spots>The COB Cylinder Range

65632T/W/W



35W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.





Dimensions



Gallery





Related items





40003A/W

Physical Specification

Item Group

Family

10 Track Spots

The COB Cylinder Range

65632T/W/W
White
Aluminium
Circular
145mm
110mm
Yes
Yes
2 Directions

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	35W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting

Input Type

Constant Current

Input Current	900mA
Voltage	37V
Safety Class	
Power(Watts)	33,3W
IP Rating	IP20
Light Source	LED built in

LED Type	СОВ
LED Brand	Lumileds
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	21-30W
Power Factor	0,95
Constant Current	Yes
700mA	30-43V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Tridonic
Protection	Short Circuit Protection

Illumination Data


Colour Temperature	3000K
Lumen Output	3200lm
Light Efficiency	

Ligh	ht Efficiency	91,42lm/W
CR	I	80
Bea	am Angle	36°
Illur	mination Diagram	

Packing Info

Box Length	31cm
Box Width	13,5cm
Box Height	13,5cm
Box Weight	1,48kg
Pcs/Carton	9
Barcode	5291889050216
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Average Lifetime	30000hours
Weee Directive	Yes