



10W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.




### Downloads



### Dimensions



### Gallery



### Related items



40002A/B



40003A/B

### Physical Specification

Item Group


09 Track Lights


Family


The COB Cylinder Track Spot

|               |              |
|---------------|--------------|
| Order Code    | 65642AT/B/W  |
| Colour        | Black        |
| Material      | Aluminium    |
| Shape         | Circular     |
| Height        | 147mm        |
| Diameter      | 55mm         |
| Track mounted | Yes          |
| Indoor        | Yes          |
| Adjustable    | 2 Directions |


### Electrical Characteristics

| Gear             | Built In                                                                              |
|------------------|---------------------------------------------------------------------------------------|
| Fitting + Driver |                                                                                       |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Safety Class     |  |
| Power(Watts)     | 10W                                                                                   |
| IP Rating        | IP20                                                                                  |
| Light Source     | LED built in                                                                          |
| Dimmable         | No                                                                                    |

| Fitting       |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Input Type    | Constant Current                                                                      |
| Input Current | 250mA                                                                                 |
| Voltage       | 38V                                                                                   |
| Safety Class  |  |
| Power(Watts)  | 9,5W                                                                                  |
| IP Rating     | IP20                                                                                  |
| Light Source  | LED built in                                                                          |

|                  |                                                                                       |
|------------------|---------------------------------------------------------------------------------------|
| LED Type         | COB                                                                                   |
| LED Brand        | Sanan                                                                                 |
| Gear             |                                                                                       |
| Gear Type        | Led Driver                                                                            |
| Input Voltage    | 220-240V                                                                              |
| 50 Hz            | Yes                                                                                   |
| 60 Hz            | Yes                                                                                   |
| Power(Watts)     | 6-10W                                                                                 |
| Power Factor     | 0,9                                                                                   |
| Constant Current | Yes                                                                                   |
| 250mA            | 25-40V                                                                                |
| IP Rating        | IP20                                                                                  |
| Safety Class     |  |
| Dimmable         | No                                                                                    |
| Ambient Temp     | 50°C                                                                                  |
| Operating Temp   | 80°C                                                                                  |
| Housing Material | Plastic                                                                               |
| Output Terminal  | Connector                                                                             |
| Brand            | Lifud                                                                                 |
| Protection       | Short Circuit Protection                                                              |

#### Illumination Data

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Colour Temperature   | 3000K                                                                                 |
| Lumen Output         | 900lm                                                                                 |
| Light Efficiency     | 90lm/W                                                                                |
| CRI                  | 90                                                                                    |
| Beam Angle           | 38°                                                                                   |
| Illumination Diagram |  |

#### Packing Info

|            |               |
|------------|---------------|
| Box Length | 22cm          |
| Box Width  | 8,5cm         |
| Box Height | 8,5cm         |
| Box Weight | 0,482kg       |
| Pcs/Carton | 24            |
| Barcode    | 5291889053880 |
| HS Code    | 9405409900    |

## Certification & Warranty

|                  |            |
|------------------|------------|
| Warranty         | 2 Years    |
| Average Lifetime | 30000hours |
| Weee Directive   | Yes        |