

09 Track Lights>The COB Cylinder Track Spot

65642CT/W/W



30W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Related items







40003A/W

Physical Specification

Item Group

09 Track Lights

Family

The COB Cylinder Track Spot

| Order Code | 65642CT/W/W |
|----------------------------|--------------|
| Colour | White |
| Material | Aluminium |
| Shape | Circular |
| Height | 200mm |
| Diameter | 90mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |
| | |
| Electrical Characteristics | |

| Electrical Characteristics | |
|----------------------------|------------------|
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |
| Power(Watts) | 30W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| | |
| Fitting | |
| Input Type | Constant Current |
| Input Current | 750mA |
| Voltage | 38V |
| Safety Class | |
| Power(Watts) | 28,5W |
| IP Rating | IP20 |
| Light Source | LED built in |

| LED Brand | Sanan |
|-------------------------|--------------------------|
| | |
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 19-30W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 750mA | 25-40V |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |
| Ambient Temp | 50°C |
| Operating Temp | 80°C |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Lifud |
| Protection | Short Circuit Protection |
| | |
| llumination Data | |
| Colour Temperature | 3000K |
| Lumen Output | 2700lm |
| Light Efficiency | 90lm/W |
| CRI | 90 |
| Beam Angle | 38° |
| Illumination Diagram | |
| s.i.iiidiioii Diagrafii | |

COB

LED Type

| Box Length | 27cm |
|------------|---------------|
| Box Width | 10,5cm |
| Box Height | 10,5cm |
| Box Weight | 1,1kg |
| Pcs/Carton | 15 |
| Barcode | 5291889053941 |
| HS Code | 9405409900 |

| Certification & Warrant |
|-------------------------|
|-------------------------|

| Warranty | 2 Years |
|------------------|------------|
| Average Lifetime | 30000hours |
| Weee Directive | Yes |