

10 Track Spots>The Shop PRO Range

65654BT/W/W



30W COB LED track spot with, ideal for shops and showrooms.

Complete with 750mA driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Related items







40003A/W


Physical Specification

Item Group	10 Track Spots
Family	The Shop PRO Range
Order Code	65654BT/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	111mm

Diameter 100mi	m
Track mounted Yes	
Indoor	
Adjustable 2 Dire	ctions
Electrical Characteristics	
Coor	
Gear Built II	
Fitting + Driver	
Input Voltage 220-24	40V
50 Hz Yes	
60 Hz Yes	
Safety Class	
Power(Watts) 30W	
IP Rating IP20	
Light Source LED b	uilt in
Dimmable	
Fitting	
Input Type Const	ant Current
Input Current 750m/	A
Voltage 38V	
Power(Watts) 28,5W	
IP Rating IP20	
Light Source LED b	uilt in
LED Type COB	
LED Brand Sanar	
LED Number 1	
Gear	

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	22,5-30W
Power Factor	0,9
Constant Current	Yes
750mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KGP
Illumination Data	
Illumination Data Colour Temperature	3000K
	3000K 2700lm
Colour Temperature	
Colour Temperature Lumen Output	2700lm
Colour Temperature Lumen Output Light Efficiency	2700lm 90lm/W
Colour Temperature Lumen Output Light Efficiency CRI	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2700lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	2700lm 90lm/W 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton	2700lm 90lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton Barcode	2700lm 90lm/W 90 38° 10 5291889066774

Energy Label



Certification & Warranty		

Warranty	3 Years
Weee Directive	Yes