


## 10 Track Spots>Dark Light Tubes Track Spots

# 65656AT/B/W



6W SMD LED track spot with, ideal for shops and showrooms.

Complete with 150mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads









#### Dimensions



#### Related items







40003A/B


#### **Physical Specification**

| Item Group | 10 Track Spots               |
|------------|------------------------------|
| Family     | Dark Light Tubes Track Spots |
| Order Code | 65656AT/B/W                  |
| Colour     | Black                        |
| Material   | Aluminium                    |
| Shape      | Circular                     |
| Height     | 66mm                         |

| Diameter                 | 68mm             |
|--------------------------|------------------|
| Track mounted            | Yes              |
| Indoor                   | Yes              |
| Adjustable               | 2 Directions     |
|                          |                  |
| ectrical Characteristics |                  |
|                          |                  |
| Gear                     | Built In         |
| Fitting I Driver         |                  |
| Fitting + Driver         |                  |
| Input Voltage            | 220-240V         |
| 50 Hz                    | Yes              |
| 60 Hz                    | Yes              |
| Safety Class             |                  |
| Power(Watts)             | 6W               |
| IP Rating                | IP20             |
| Light Source             | LED built in     |
| Dimmable                 | No               |
|                          |                  |
| Fitting                  |                  |
| Input Type               | Constant Current |
| Input Current            | 150mA            |
| Voltage                  | 30V              |
| Safety Class             |                  |
| Power(Watts)             | 4,5W             |
| IP Rating                | IP20             |
| Light Source             | LED built in     |
| LED Type                 | SMD 5050         |
| LED Brand                | Osram            |
|                          |                  |
| Gear                     |                  |
| Gear Type                | Led Driver       |

| Input Voltage   | 220-240V                     |
|---|------------------------------|
| 50 Hz   | Yes                          |
| 60 Hz   | Yes                          |
| Power(Watts)  | 3,75-6W                      |
| Power Factor  | 0,5                          |
| Constant Current  | Yes                          |
| 150mA   | 25-40V                       |
| IP Rating   | IP20                         |
| Safety Class  |                              |
| Dimmable  | No                           |
| Housing Material  | Plastic                      |
| Output Terminal   | Connector                    |
|   | KEGU                         |
| Brand   |                              |
| Ilumination Data  | 200014                       |
| Ilumination Data  Colour Temperature  | 3000K                        |
| Ilumination Data  Colour Temperature  Lumen Output  | 480lm                        |
| Ilumination Data  Colour Temperature  Lumen Output  Light Efficiency  | 480lm<br>80lm/W              |
| Colour Temperature  Lumen Output  Light Efficiency  CRI   | 480lm<br>80lm/W<br>90        |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle   | 480lm<br>80lm/W<br>90<br>40° |
| Illumination Data  Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram                    | 480lm 80lm/W 90 40°          |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle   | 480lm<br>80lm/W<br>90<br>40° |
| Illumination Data  Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram                    | 480lm 80lm/W 90 40°          |
| Illumination Data  Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram                    | 480lm 80lm/W 90 40°          |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light                           | 480lm 80lm/W 90 40°          |
| Ilumination Data  Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light         | 480lm/W 90 40° Yes           |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Dark Light  Packing Info  Pcs/Carton | 480lm 80lm/W 90 40° Yes      |

## Energy Label



| Certification & Warranty |  |  |
|--------------------------|--|--|
|                          |  |  |

| Warranty       | 3 Years |
|----------------|---------|
| Weee Directive | Yes     |