


14 Wall & Ceiling LED>Reading Spots Aluminium

65738A/W/W



3W COB LED bedside adjustable fitting ideal for room hotel installation, IP20.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Reading Spots Aluminium
Order Code	65738A/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	200mm
Diameter	80mm
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	4V
Safety Class	
Power(Watts)	2,8W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Lumileds
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,4-2,8W

Power Factor	0,5
Constant Current	Yes
700mA	2-4v
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Eaglerise
Illumination Data	
Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	85
Beam Angle	36°
Illumination Diagram	
Packing Info	
Box Length	18,5cm
Box Width	18,5cm
Box Height	8,5cm
Box Weight	0,46Kg
Pcs/Carton	24
Barcode	5291889049814
HS Code	9405409900

Warranty	2 Years
Weee Directive	Yes

Certification & Warranty