

14 Wall & Ceiling LED>Outdoor Ceiling Cylinders Die cast

67138D/G/W



6W Outdoor Ceiling Cylinder, IP54.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
IES O CE	1 80x80mm 1

Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Outdoor Ceiling Cylinders Die cast
Order Code	67138D/G/W
Colour	Grey
Material	Die Cast
Shape	Rectangular
Length	80mm

Width	80mm
Height	107mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	500mA
Voltage	10V
Power(Watts)	5W
IP Rating	IP54
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree

Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3-6W
Power Factor	0,9

Constant Current	Yes
500mA	6-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	55°C
Operating Temp	70°C
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	440Im
Light Efficiency	73,33lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	

Packing Info

Box Length	12cm
Box Width	9cm
Box Height	15cm
Box Weight	0,4Kg
Pcs/Carton	18
Barcode	5291889024231
HS Code	9405409900

Energy Label



Certification & Warranty

 Warranty
 2 Years

 Weee Directive
 Yes