

14 Wall & Ceiling LED>Indoor/Outdoor Light Points

67220A/AL/D



1W LED wall and ceiling light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Indoor/Outdoor Light Points
Order Code	67220A/AL/D
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	80mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Flootrical	Characteristics
Elecuicai	Characteristics


Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	1W
IP Rating	IP54
Light Source	LED built in
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic

Output Terminal	Cable

Illumination Data	
Colour Temperature	6000K
Illumination Diagram	
Illumination Diagram	

Packing Info		
Pcs/Carton	20	
Barcode	5291889018735	
HS Code	9405409900	

Energy Label



Warranty 2 Years Wee Directive Yes