



24W LED plafo light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification



Item Group	15 Plafo
Family	The LED Plafo Outdoor Square Plastic
Order Code	67282AN/G/W
Colour	Grey
Material	Plastic
Diffuser Material	PC
Shape	Rectangular
Length	295mm
Width	295mm
Height	80mm
Surface Ceiling	Yes
Indoor	Yes

Outdoor
Adjustable
IK Rating

Yes
No
8


Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

Built In
220-240V
Yes
Yes

24W
IP65
LED built in
No


Fitting


Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
F Mark

Constant Current
600mA
38V
22,8W
IP65
LED built in
SMD 2835
Epistar



Gear

Gear Type

Led Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	15,6-26W
Power Factor	0,9
Constant Current	Yes
600mA	26-43,5V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	1440lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	30,5cm
Box Width	30,5cm
Box Height	8,5cm
Box Weight	1,4Kg
Pcs/Carton	10
Barcode	5291889043423
HS Code	9405104090



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes