




25W Emergency LED plafo light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	22 Emergency Lights
Family	Emergency LED Plafo
Order Code	67284LE/W/C
Colour	White
Material	PC
Diffuser Material	PC
Shape	Circular
Height	111mm
Diameter	330mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable
IK Rating

No
8

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

220-240V
Yes
Yes

25W/5W
IP65
LED built in
No


Fitting

Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
F Mark

Constant Current
600mA
40V
24W
IP65
LED built in
SMD 2835
Epistar


Gear

Gear Type
Input Voltage

Led Driver
220-240V

50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
600mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes
Yes
16,2-25,2W
0,9
Yes
27-42V
IP20

No
Plastic
Connector
Lifud

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram


4000K
1900lm
76lm/W
80


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

31cm
11cm
35cm
1,3Kg
12
5291889050674
9405104090

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes