



2x3W LED wall light with adjustable beam, ideal for both indoor and outdoor installation.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|--------------|---------------------------------|
| Item Group | 14 Wall & Ceiling LED |
| Family | Adjustable Beams Indoor/Outdoor |
| Order Code | 67340A/G/W |
| Colour | Grey |
| Material | Die Cast |
| Shape | Rectangular |
| Length | 140mm |
| Width | 105mm |
| Height | 145mm |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |

Adjustable

No

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

2x3W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

9V

Safety Class



Power(Watts)

5,4W

IP Rating

IP54

Light Source

LED built in

LED Type

COB

LED Brand

Cree

F Mark



Gear

Gear Type


Led Driver

Input Voltage

220-240V

| | |
|------------------|---|
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 3,85-7,7W |
| Power Factor | 0,5 |
| Constant Current | Yes |
| 700mA | 5,5-11V |
| IP Rating | IP20 |
| Safety Class |  |
| Brand | Eaglerise |
| Protection | 0 |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 2x210lm |
| Light Efficiency | 70lm/W |
| CRI | 80 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Length | 15,5cm |
| Box Width | 15,5cm |
| Box Height | 12,5cm |
| Box Weight | 1,1Kg |
| Pcs/Carton | 8 |
| Barcode | 5291889043751 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes