

## 14 Wall & Ceiling LED>Outdoor Wall Up & Down Lights

# 67362B/AN/W



9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads










#### Dimensions



#### **Physical Specification**


Item Group	14 Wall & Ceiling LED
Family	Outdoor Wall Up & Down Lights
Order Code	67362B/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	205mm
Width	125mm
Height	60mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

### Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	25V
Power(Watts)	8,85W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Edison
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	6-9,1W
Power Factor	0,9
Constant Current	Yes
350mA	17-26V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise
Ilumination Data	
Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	
Packing Info	
Box Length	14cm
Box Width	7cm
Box Height	22,5cm
Box Weight	0,8kg
Pcs/Carton	12
Barcode	5291889040576
HS Code	9405409900

# Energy Label



Weee Directive

Certification & Warranty	
Warranty	2 Years

Yes