

### 15 Plafo>The LED Super Slim Plafo Round

# 67404A/W/W



25W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads









#### Dimensions



#### **Physical Specification**

| Item Group        | 15 Plafo                       |
|-------------------|--------------------------------|
| Family            | The LED Super Slim Plafo Round |
| Order Code        | 67404A/W/W                     |
| Colour            | White                          |
| Material          | Aluminium                      |
| Diffuser Material | PC                             |
| Shape             | Circular                       |
| Height            | 63mm                           |
| Diameter          | 400mm                          |
| Surface Ceiling   | Yes                            |
| Indoor            | Yes                            |
| Adjustable        | No                             |

### Electrical Characteristics

| Gear             | Built In         |
|------------------|------------------|
|                  |                  |
| Fitting + Driver |                  |
| Input Voltage    | 100-240V         |
| 50 Hz            | Yes              |
| 60 Hz            | Yes              |
| Safety Class     |                  |
| Power(Watts)     | 25W              |
| IP Rating        | IP40             |
| Light Source     | LED built in     |
| Dimmable         | No               |
| F Mark           | F                |
|                  |                  |
| Fitting          |                  |
| Input Type       | Constant Current |
| IP Rating        | IP40             |
| Light Source     | LED built in     |
| LED Type         | SMD 2835         |
| LED Brand        | Epistar          |
| F Mark           | F                |
|                  |                  |
| Gear             |                  |
| Gear Type        | Led Driver       |
| Input Voltage    | 100-240V         |
| 50 Hz            | Yes              |
| 60 Hz            | Yes              |
| Power(Watts)     | 25W              |
| Constant Current | Yes              |
|                  |                  |

| IP Rating            | IP20   |
|----------------------|--------|
| Safety Class         |        |
| Dimmable             | No     |
|                      |        |
| Illumination Data    |        |
| Colour Temperature   | 3000K  |
| Lumen Output         | 2300lm |
| Light Efficiency     | 92lm/W |
| CRI                  | 80     |
| Illumination Diagram |        |
|                      |        |
| Packing Info         |        |
| Box Length           | 41cm   |
| Box Width            | 7cm    |

41cm

2,1kg

5291889054924

9405104090

10

## Energy Label


Box Height

Box Weight

Pcs/Carton

Barcode

HS Code



| Warranty       | 2 Years |
|----------------|---------|
| Weee Directive | Yes     |

Certification & Warranty