



12W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	15 Plafo
Family	The LED Super Slim Plafo Round
Order Code	67404M/W/W
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Circular
Height	48mm
Diameter	250mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

IK Rating

8

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

12W

IP Rating

IP40

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

IP Rating

IP40

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

F Mark



Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

12W

Constant Current

Yes

IP Rating
Safety Class
Dimmable

IP20
<div><div></div></div>
No

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram


3000K
1100lm
91,67m/W
80
<div><div></div></div>

Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Carton Length
Carton Width
Carton Height
Carton Weight
Barcode
HS Code

26cm
6cm
26cm
1kg
20
60cm
54cm
29cm
15,6Kg
5291889056959
9405104090

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes