

9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Complete with 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Gallery



#### Physical Specification

Item Group

14 Wall & Ceiling LED

Family

The Retro Opal Range Die cast + PC

Order Code

67424/W/W

Colour

White

Material

Die Cast

Diffuser Material



PC


Shape

Rectangular

Length	190mm
Width	80mm
Height	65mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	24V
Safety Class	
Power(Watts)	8,4W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3528

LED Brand
F Mark

Edison


## Gear

Gear Type
Input Voltage
50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
350mA
IP Rating
Safety Class
Manufacturer
Protection

Led Driver
220-240V
Yes
Yes
4,2-8,4W
0,5
Yes
12-24V
IP20

Eaglerise
0

## Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
600lm
66,67lm/W
80


## Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton

9,5cm
9cm
20cm
0,7Kg
12


Barcode

5291889053354

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes