



40W LED plafo light, IP20, ideal for indoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	15 Plafo
Family	The LED Project Plafo Aluminium
Order Code	67438/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	120mm
Diameter	355mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	
Fitting	
Input Type	Constant Current
Input Current	1000mA
Voltage	39V
Safety Class	
Power(Watts)	39W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Bridgelux
F Mark	
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)
Power Factor
Constant Current
1000mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

34-39W
0,9
Yes
34-39V
IP20

No
Plastic
Connector
Kegu

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
3400lm
85lm/W
90


Packing Info

Pcs/Carton
Barcode
HS Code

1
5291889056430
9405409900

Certification & Warranty

Warranty
Weee Directive

2 Years
Yes