



7W LED Wall and Ceiling Dark light.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




#### Downloads



#### Dimensions



#### Gallery



#### Physical Specification

Item Group

14 Wall & Ceiling LED

Family

The Backlight Range

Order Code

67450A/AN/W

Colour

Anthracite

Material

ABS

Diffuser Material



PC

Shape


Rectangular

Length	150mm
Width	150mm
Height	60mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
IK Rating	8


## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	20V
Power(Watts)	6W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 2835

LED Brand	Epistar
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3,6-6W
Power Factor	0,5
Constant Current	Yes
300mA	12-20V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	85,7lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Box Length	16cm
Box Width	16cm
Box Height	8cm

Pcs/Carton

24


Barcode

5291889057987

HS Code

9405104090

## Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes