



15W COB LED cylinder, IP65, suitable for indoor and outdoor installation.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	New 2021 Edition 2
Family	Wall & Ceiling LED
Order Code	67516A/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	127mm
Diameter	83mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

15W

IP Rating

IP65

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

36V

Power(Watts)

12,6W

IP Rating

IP65

Light Source

LED built in

LED Type

COB

LED Brand

Bridgelux

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

10,8-16W

Power Factor

0,9

Constant Current
400mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand

Yes
27-40V
IP20

No
Plastic
KEGU

## Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K
1200lm
80lm/W
90
40°

Yes

## Packing Info

Box Length
Box Width
Box Height
Pcs/Carton
Barcode
HS Code

9cm
9cm
16cm
24
5291889070108
9405409900

Warranty

---

2 Years

---

Weee Directive

---

Yes

---