




1,5 W Wall recessed LED light, ideal for step and corridor illumination.

Supplied complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Indoor Square Wall Recessed
Order Code	68007/W/W
Colour	White
Material	Plastic
Shape	Rectangular
Length	94mm

Width
Height
Cutout Hole Width
Cutout Hole Length
Recessed wall
Depth Required
Indoor
Adjustable

94mm
35mm
86mm
86mm
Yes
40mm
Yes
No

Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
F Mark

External-Included
100-240V
Yes
Yes

1,5W
IP20
LED built in


Fitting
Input Type
Power(Watts)
IP Rating
Light Source
LED Brand

Constant Current
1,5W
IP20
LED built in
Epistar

Gear

Gear Type

Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,5W
Power Factor	0,5
Constant Current	Yes
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	One Light


Illumination Data

Colour Temperature	3000K
Lumen Output	100lm
Light Efficiency	66,67lm/W
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	9,7cm
Box Width	5,4cm
Box Height	9,7cm
Box Weight	0,14Kg
Pcs/Carton	50
Barcode	5291889035374
HS Code	9405104090

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes