



4W LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Complete 350mA driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions






Physical Specification

| | |
|--------------------|---|
| Item Group | 19 Wall Recessed & Inground |
| Family | Outdoor Dark Light Wall Recessed Die cast |
| Order Code | 68068A/B/W |
| Colour | Black |
| Material | Die Cast |
| Shape | Rectangular |
| Length | 115mm |
| Width | 115mm |
| Height | 35mm |
| Cutout Hole Width | 110mm |
| Cutout Hole Length | 110mm |
| Recessed wall | Yes |

| | |
|----------------|------|
| Depth Required | 60mm |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |

Electrical Characteristics

| Gear | Built In |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 4W |
| IP Rating | IP65 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| Fitting | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Voltage | 9V |
| Safety Class |  |
| Power(Watts) | 3,15W |
| IP Rating | IP65 |
| Light Source | LED built in |
| LED Type | SMD 2835 |
| LED Brand | Osram |
| LED Number | 6 |

F Mark



Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

1-4W

Power Factor

0,5

Constant Current

Yes

350mA

3-10V

IP Rating

IP20

Safety Class



Brand

Galoppato

Protection

0

Illumination Data

Colour Temperature

3000K

Lumen Output

300lm

Light Efficiency

100lm/W

CRI

80

Illumination Diagram



Dark Light

Yes

Packing Info

Box Length

13cm

Box Width

7,5cm

Box Height

13cm

Box Weight

0,4Kg

Pcs/Carton

24


Barcode

5291889060239

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes