

## 19 Wall Recessed & Inground>Ground Surface Mounted Range

# 69058C/G/W



4x3W COB LED Surface ground, IP67 for path illumination.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads









#### Dimensions



### Gallery



#### **Physical Specification**

Item Group	19 Wall Recessed & Inground
Family	Ground Surface Mounted Range
Order Code	69058C/G/W
Colour	Grey
Material	Die Cast
Shape	Circular
Height	42mm

Diameter	200mm
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4x3W
IP Rating	IP67
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	33V
Power(Watts)	4x2,5W
IP Rating	IP67
Light Source	LED built in
LED Type	СОВ

Edison

**LED Brand** 

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	9-12W
Power Factor	0,9
Constant Current	Yes
300mA	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Factoria
- Diana	Eaglerise
	Eaglerise
	Eaglerise
Ilumination Data	
	3000K
Ilumination Data	
Ilumination Data  Colour Temperature	3000K
Ilumination Data  Colour Temperature  Lumen Output	3000K 600lm
Ilumination Data  Colour Temperature  Lumen Output  Light Efficiency	3000K 600lm 50lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	3000K 600lm 50lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	3000K 600lm 50lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	3000K 600lm 50lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	3000K 600lm 50lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram	3000K 600lm 50lm/W 80
Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram  Packing Info  Pcs/Carton	3000K 600lm 50lm/W 80

4

LED Number

Warranty	2 Years
Weee Directive	Yes

Certification & Warranty