



10W Rechargeable LED flood light in die cast housing with stand and handle. IP65 rated for outdoor use.

Supplied with AC Charger 100-240V EU/BS plug and car charger.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	21 Industrial & Floodlights
Family	The Rechargeable LED Floodlights Die cast
Order Code	7028AR/G/C
Colour	Grey
Material	Die Cast
Shape	Rectangular
Length	240mm
Width	150mm
Height	165mm
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	1 Direction
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	
Fitting	
Input Type	Constant Current
Voltage	8,4V
Safety Class	
Power(Watts)	10W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Epistar
Gear	
Gear Type	Led Driver
Power(Watts)	10W
Power Factor	0,9
Constant Current	Yes
IP Rating	IP20

Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector


Illumination Data

Colour Temperature	4000K
Lumen Output	700lm
Light Efficiency	70lm/W
CRI	75
Beam Angle	120°
Illumination Diagram	

Packing Info

Box Length	15,5cm
Box Width	12cm
Box Height	21,5cm
Box Weight	1,2Kg
Pcs/Carton	12
Barcode	5291889038450
HS Code	9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes