

20 Garden & Underwater>The 20W COB Garden Spots Aluminium

7047/AL/W



20W LED spot, IP65, supplied with spike, for garden illumination.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Physical Specification


Item Group	20 Garden & Underwater
Family	The 20W COB Garden Spots Aluminium
Order Code	7047/AL/W
Colour	Aluminium
Material	Aluminium
Diffuser Material	Glass
Shape	Circular

Height	130mm
Diameter	114mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	1 Direction
ectrical Characteristics	
Gear	Built In
Fitting . Debuge	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
Cable Length	150cm
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	38V
Power(Watts)	19W
IP Rating	IP65
Light Source	LED built in
LED Type	СОВ

LED Brand	Edison
LED Number	1
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12,5-21W
Power Factor	0,9
Constant Current	Yes
500mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	55°C
Operating Temp	85°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise
Protection	Short Circuit
llumination Data	
Oalassa Tarasa aratura	000016
Colour Temperature	3000K
Lumen Output	1800lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	

Box Length	14cm
Box Width	13cm
Box Height	26cm
Box Weight	2Kg
Pcs/Carton	8
Barcode	5291889039013
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Average Lifetime	50000hours
Weee Directive	Yes