




LED industrial wall light with COB. High lumen output, IP65, for outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	
Family	
Order Code	
Colour	
Material	
Shape	
Length	
Width	
Height	
Surface Wall	
Indoor	
Outdoor	

21 Industrial & Floodlights
The Industrial LED Lights Die cast
7056B/C
Black
Die Cast
Rectangular
360mm
235mm
182mm
Yes
Yes
Yes

Adjustable
IK Rating

No
10

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

100-240V
Yes
Yes

2x30W
IP65
LED built in
No


Fitting

Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand

Constant Current
1950mA
30V
58,5W
IP65
LED built in
SMD
Epistar

Gear

Gear Type
Input Voltage
50 Hz

Led Driver
100-240V
Yes

60 Hz
Power(Watts)
Power Factor
Constant Current
Output
Voltage Range
IP Rating
Safety Class

Yes
47-70W
0,9
Yes
1950mA
24-36V
IP20


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram


4000K
4800lm
80lm/W
70
120°


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

26,5cm
23cm
35cm
6,1Kg
6
5291889042693
9405409900

Energy Label



Certification & Warranty

Warranty

3 Years

Weee Directive

Yes