

25 Lamps>Dimmable MR16 GU10 COB LED


7306CGD/C



MR16 GU10 Triac dimmable COB LED 6W 230V AC lamp.

Suitable for residential and commercial applications.

Complies with standard EN62560 and any other specific standards.










Downloads





Dimensions



Gallery



Physical Specification

Item Group	25 Lamps
Family	Dimmable MR16 GU10 COB LED
Order Code	7306CGD/C
Shape	Circular
Height	55mm
Diameter	50mm

Lamp Mains Voltage Input Type Mains Voltage Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Power(Watts) 6W Lamp Type LED Lamp Holder GU10 LED Type CO8 LED Brand Sanan Dimmable Yes Dimmer type Triac Munication Data 4000K Colour Temperature 4000K Lumen Output 520lm Light Efficiency 86,67m/W CRI 85 Beam Angle 60° Illumination Diagram 60° Pocking Info 5cm Box Length 5cm Box Weight 0,054Kg Pos Garton 100	Electrical Characteristics	
Input Type	Gear	No
Input Type		
Power (Watts)	Lamp	
Food Hz	Input Type	Mains Voltage
Power(Watts)	Input Voltage	220-240V
Power(Watts) 60W	50 Hz	Yes
Lamp Holder Lamp Holder COB LED Type COB LED Brand Sanan Dimmable Yes Dimmer type Triac Colour Temperature 4000K Lumen Output 520lm Light Efficiency RB 85 Beam Angle Beam Angle Illumination Diagram Packing Info Box Length Box Weight Box Weight DOB GOB GU10 COB Sanan 4000K A000K A000K	60 Hz	Yes
Lamp Holder GU10 LED Type COB LED Brand Sanan Dimmable Yes Dimmer type Triac Illumination Data 4000K Lumen Output 520lm Light Efficiency 86,67lm/W CRI 85 Beam Angle 60° Illumination Diagram ▲ Peaking Info 5cm Box Height 5cm Box Height 6cm Box Weight 0,054Kg	Power(Watts)	6W
LED Type COB LED Brand Sanan Dimmable Yes Dimmer type Triac Illumination Data 4000K Colour Temperature 4000K Lumen Output 520lm Light Efficiency 85 Beam Angle 60° Illumination Diagram 60° Packing Info 5cm Box Weight 5cm Box Height 6cm Box Weight 0,054Kg	Lamp Type	LED
LED Brand Dimmable Yes Dimmer type Triac Colour Temperature 4000K Lumen Output 520Im Light Efficiency 86,67Im/W CRI Beam Angle 60° Illumination Diagram Packing Info Box Length Box Weight 6cm Box Weight 6cm	Lamp Holder	GU10
Dimmable Yes Dimmer type Triac Illumination Data Colour Temperature 4000K Lumen Output 520Im Light Efficiency 86,67Im/W CRI 85 Beam Angle 60° Illumination Diagram C Packing Info 5cm Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg	LED Type	СОВ
Dimmer type Triac Colour Temperature Lumen Output Light Efficiency Roam Angle Beam Angle Box Length Box Width Box Weight Box Weight Triac Triac Triac	LED Brand	Sanan
Colour Temperature 4000K Lumen Output 520Im Light Efficiency 86,671m/W CRI 85 Beam Angle 60° Illumination Diagram Packing Info Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg	Dimmable	Yes
Colour Temperature 4000K Lumen Output 520Im Light Efficiency 86,67Im/W CRI 85 Beam Angle 60° Illumination Diagram Illumination Diagram Packing Info 5cm Box Width 5cm Box Wight 6cm Box Weight 0,054Kg	Dimmer type	Triac
Lumen Output 520Im Light Efficiency 86,67Im/W CRI 85 Beam Angle 60° Illumination Diagram Illumination Diagram Packing Info 5cm Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg		4000K
CRI 85 Beam Angle 60° Illumination Diagram		520lm
Beam Angle 60° Illumination Diagram Packing Info Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg	Light Efficiency	86,67lm/W
Packing Info Box Length Box Width Box Height Box Weight Do,054Kg	CRI	85
Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg	Beam Angle	60°
Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg	Illumination Diagram	
Box Length 5cm Box Width 5cm Box Height 6cm Box Weight 0,054Kg		
Box Width5cmBox Height6cmBox Weight0,054Kg	Packing Info	
Box Width5cmBox Height6cmBox Weight0,054Kg		
Box Height 6cm Box Weight 0,054Kg		
Box Weight 0,054Kg		
Pcs/Carton 100		
	Pcs/Carton	100

Barcode	5291889053316
HS Code	8539500000

Energy Label



Energy Class F

Energy Consumption 6kWh/1000h

Certification & Warranty

Warranty	3 Years
Average Lifetime	30000hrs
Switching Cycles	15000
Weee Directive	Yes