

09 LED Strips & Profiles>The 4,8W/m Outdoor 24V

7820W/EW



IP68 Waterproof Flexible LED light strip, with SMD2216 LEDs, 70LEDs/meter, 4,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions

Cut every 10cm (7-LED segment)



Gallery



Accessories





7828

Related items



20030

Physical Specification

Item Group	09 LED Strips & Profiles
Family	The 4,8W/m Outdoor 24V
Order Code	7820W/EW
Material	Silicone
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	<u> </u>
Power(Watts)	4,8W/m
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 2216
LED Brand	Refond

LED Number	70LEDs/m
F Mark	F
Ilumination Data	
Colour Temperature	2700K
Lumen Output	375lm/m
Light Efficiency	78,12lm/W
CRI	90
Illumination Diagram	
Packing Info	
Box Length	26cm
Box Width	25cm
Box Height	2cm
Box Weight	0,43kg
Pcs/Carton	40
Barcode	5291889041597
HS Code	9405409989
Energy Label	
ENERG 7 ONE Light Ltd 782 OW/EW A B C D L KWh/1000h NWh/1000h ONE Light Ltd 782 OW/EW A B C D D D T D D D D D D D D D D D D D D D	
Energy Class	F

Warranty	3 Years
Weee Directive	Yes

Certification & Warranty