




Linear neonflex 24V DC, 14,4W/meter.Supplied in 5 meters roll.

Can be cut every 7cm.

Complete with 4pcs End Cups

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



20030

Physical Specification

Item Group	09 LED Strips & Profiles		
Family	Flex Lightlines		
Order Code	7841/W		
Material	Silicone		
Shape	Rectangular		
Length			5000mm
Width			6mm

Height	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	14,4W/m
IP Rating	IP66
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	140LEDs/m
Cable Length	30cm
F Mark	


Illumination Data

Colour Temperature	3000K
Lumen Output	320lm/m
Light Efficiency	22,22lm/W
CRI	90
Illumination Diagram	

Packing Info

Pcs/Carton	1
Barcode	5291889059264
HS Code	9405403990

Energy Label



Certification & Warranty

Warranty	5 Years
Weee Directive	Yes