



Flexible LED light strip, with SMD2216 LEDs, 238LEDs/meter, 19,2W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 2,95cm (7-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.




## Downloads



## Dimensions



## Gallery





## Physical Specification

Item Group	08 Strips & Profiles
Family	The 19,2W/m Indoor 24V
Order Code	7870/D
Shape	Rectangular
Length	5000mm
Width	10mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

## Electrical Characteristics

### Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	19,2W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2216
LED Brand	Refond
LED Number	238LEDs/m
F Mark	

## Illumination Data

Colour Temperature	6000K
Lumen Output	1940lm/m
Light Efficiency	101,04lm/W
CRI	90
Illumination Diagram	

## Packing Info

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Box Weight	0,22kg

Pcs/Carton	40
Barcode	5291889031895
HS Code	9405409989

#### Certification & Warranty

Warranty	5 Years
Weee Directive	Yes