

# 08 Strips & Profiles>The High Power Strips 24V

7880/C



Flexible LED light strip, with SMD2835 LEDs, 120LEDs/meter, 28,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (12-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads









#### **Dimensions**

Cut every 10cm (12-LED segment)



### Gallery



#### **Physical Specification**

Item Group	08 Strips & Profiles
Family	The High Power Strips 24V
Order Code	7880/C
Shape	Rectangular
Length	5000mm
Width	20mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

## Electrical Characteristics


Illumination Diagram

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	₹III>
Power(Watts)	28,8W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	120LEDs/m
F Mark	F

Illumination Data		
Colour Temperature	4000K	
Lumen Output	2304lm/m	
Light Efficiency	80lm/W	
CRI	90	

Packing Info	
Box Length	24cm
Box Width	21,5cm
Box Height	3,5cm
Box Weight	0,365kg

Pcs/Carton	40
Barcode	5291889040446
HS Code	9405409989
Energy Label	



Energy Class F

# Certification & Warranty

Warranty 5 Years Weee Directive Yes