



Flexible LED light strip, with SMD2835 LEDs, 294LEDs/meter, 48W/meter. Supplied in 2 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 7,14cm (21-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Gallery





#### Physical Specification

Item Group	08 Strips & Profiles
Family	The High Power Strips 24V
Order Code	7885/C
Shape	Rectangular
Length	2000mm
Width	39mm
Surface Ceiling	Yes

Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

## Electrical Characteristics

### Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	48W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	294LEDs/m
F Mark	

## Illumination Data

Colour Temperature	4000K
Lumen Output	4850lm/m
Light Efficiency	101,04lm/W
CRI	90
Illumination Diagram	

## Packing Info

Box Length	16cm
Box Width	14,5cm
Box Height	5cm
Box Weight	0,24kg

Pcs/Carton

40


Barcode

5291889046226

HS Code

9405409989

### Energy Label



Energy Class

E

### Certification & Warranty

Warranty

5 Years

Weee Directive

Yes