



Flexible LED light strip, with SMD2835 LEDs, 294LEDs/meter, 48W/meter. Supplied in 2 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 7,14cm (21-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	09 LED Strips & Profiles		
Family	The High Power Strips 24V		
Order Code	7885/W		
Shape	Rectangular		
Length	2000mm		
Width	39mm		
Surface Ceiling	Yes		


Surface Wall
Surface Floor/Ground
Indoor

Yes
Yes
Yes

Electrical Characteristics

Fitting

Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand
LED Number
F Mark

Constant Voltage
24V DC

48W/m
IP20
LED built in
SMD 2835
Refond
294LEDs/m


Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
4400lm/m
91,67lm/W
90



Packing Info

Box Length
Box Width
Box Height
Box Weight

16cm
14,5cm
5cm
0,24kg

Pcs/Carton	40
Barcode	5291889046233
HS Code	9405409989

Energy Label



Energy Class	F
--------------	---

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes