

## 22 Emergency Lights>Emergency LED Ceiling Plexiglass Signs

89406/W



1W Emergency LED ceiling Plexiglass Exit sign.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads







#### Dimensions



#### **Physical Specification**

Item Group	22 Emergency Lights
Family	Emergency LED Ceiling Plexiglass Signs
Order Code	89406/W
Colour	White
Material	Plastic
Shape	Circular
Height	205mm
Diameter	305mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Safety Class	
Power(Watts)	1W
IP Rating	IP44
Light Source	LED built in
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V


F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1W
Constant Current	Yes
IP Rating	IP20
Safety Class	

Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Battery Capacity	1500mAh
Battery Voltage	3,6V
Operation Time	3Hrs
Charging Time	24Hrs
Maintened	Yes
Non Maintened	Yes

### Packing Info

Box Weight	1Kg
Pcs/Carton	12
Barcode	5291889047742
HS Code	9405104090

# Energy Label



Warranty	2 Years
Weee Directive	Yes

Certification & Warranty