


## **NUMINOS® MOVE DL M**

Indoor LED recessed ceiling light black/white 4000K 20° rotating and pivoting

The NUMINOS light system from SLV combines technology, design and functionality like no other. With different downlights and spotlights, you provide a thousand lighting design possibilities. Like with the NUMINOS® MOVE DL M recessed ceiling light, which impresses with its high-quality workmanship and light. Ideal for harmonious, modern and space-saving lighting that directs the accent to objects or the room. The recessed ceiling light has a power consumption of 17.55 watts, a luminous flux of 1750 lumens, a colour temperature of 4000 Kelvin and a high colour reproduction index of over 90. This means that easy installation is a mere formality. When do you choose NUMINOS ® from SLV?



## **TECHNICAL DATA**

| Item no.:                                | 1003602     |
|--|-------------|
| Number of different light outlets        | 1           |
| Secondary power / secondary volta-<br>ge | 500mA       |
| Height                                   | 9 cm        |
| Diameter                                 | 13.5 cm     |
| Installation diameter                    | 12 cm       |
| Installation depth                       | 10 cm       |
| Net weight                               | 0.39 kg     |
| Gross weight                             | 0.45 kg     |
| IP Code                                  | IP 20       |
| Safety class                             | III         |
| Impact resistance class                  | IK02        |
| Impact resistance                        | 0,2 Joule   |
| Assembly                                 | Recessed    |
| Assembly details                         | Ceiling     |
| Wattage                                  | 17.55 W     |
| Lumen                                    | 1750 lm     |
| Colour temperature                       | 4000 Kelvin |
| Beam angle                               | 20 °        |
| Color                                    | black       |
| CRI                                      | 90          |
| UGR≤                                     | 22          |
|  |             |