




## NUMINOS® PD DALI L

Indoor LED pendant light black/black 2700K 36°

NUMINOS is the best possible coordinated light system from SLV that combines function, design and technology. With various downlights and spotlights, you provide a thousand lighting design options. Like with the NUMINOS® PD DALI L pendant light, which impresses with its high-quality workmanship and light. The spotlight is perfect for targeted accent lighting or even illumination of larger areas. The pendant light has a power consumption of 28 watts, a luminous flux of 2400 lumens, a colour temperature of 2700 Kelvin and a good colour reproduction index of over 90. This means that simple installation is a mere formality. When to choose NUMINOS from SLV – modular diversity awaits you.



## TECHNICAL DATA

|                                     |                            |
|-------------------------------------|----------------------------|
| Item no.:                           | 1004627                    |
| Primary nominal voltage             | 220-240V ~50/60Hz mA/V     |
| Secondary power / secondary voltage | 700mA                      |
| Pendant length                      | 250 cm                     |
| Height                              | 21.3 cm                    |
| Diameter                            | 10 cm                      |
| Net weight                          | 1.38 kg                    |
| Gross weight                        | 1.477 kg                   |
| Safety class                        | I                          |
| Assembly                            | Surface                    |
| Assembly details                    | Ceiling, Ceiling with Acc. |
| Dimmable                            | Yes                        |
| Dimming technology                  | DALI                       |
| Wattage                             | 28 W                       |
| Lumen                               | 2400 lm                    |
| Colour temperature                  | 2700 Kelvin                |
| Beam angle                          | 36 °                       |
| Color                               | black                      |
| CRI                                 | 90                         |
| UGR ≤                               | 19                         |
| LXXBXX data                         | L80B50                     |
| BIG WHITE Page                      | 92                         |