

02 Recessed Spots Fixed LED>The LED Glass Range

10101G/D



1W LED Glass range recessed spot IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads




Dimensions



Gallery





Must be ordered separately




89004

| Physical Specification | |
|----------------------------|-----------------------------|
| Item Group | 02 Recessed Spots Fixed LED |
| Family | The LED Glass Range |
| Order Code | 10101G/D |
| Material | Acrylic |
| Shape | Circular |
| Height | 17mm |
| Diameter | 65mm |
| Cutout Hole Diameter | 40mm |
| Recessed Ceiling | Yes |
| Depth Required | 45mm |
| Indoor | Yes |
| Adjustable | No |
| Electrical Characteristics | |

| Fitting | |
|---------------|---------------------------------------------------------------------------------------|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 1W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 3 |
| Cable Length | 40cm |
| F Mark |  |

| Illumination Data | |
|--------------------|-------|
| Colour Temperature | 6000K |
| Lumen Output | 60lm |

| |
|----------------------|
| Light Efficiency |
| Illumination Diagram |


| |
|-------------------------------------------------------------------------------------|
| 60lm/W |
|  |

Packing Info

| |
|------------|
| Pcs/Carton |
| Barcode |
| HS Code |

| |
|---------------|
| 80 |
| 5291889026464 |
| 9405409900 |

Energy Label



Certification & Warranty

| |
|----------------|
| Warranty |
| Weee Directive |

| |
|---------|
| 3 Years |
| Yes |