

02 Recessed Spots Fixed LED>The Super Mini Series

10101L/B/W



1W Recessed Star Light LED spot, IP44.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004



89004T



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Super Mini Series
Order Code	10101L/B/W
Colour	Black
Material	Aluminium
Shape	Circular


Height	21mm
Diameter	16mm
Cutout Hole Diameter	12mm
Recessed Ceiling	Yes
Recessed wall	Yes
Depth Required	30mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	1W
IP Rating	IP44
Light Source	LED built in
LED Brand	Bridgelux
Cable Length	100cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	95lm
Light Efficiency	95lm/W
CRI	90
Illumination Diagram	

## Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	4,5cm
Box Weight	0,046kg
Pcs/Carton	100
Barcode	5291889060963
HS Code	9405409900

## Certification & Warranty

Warranty	3 Years
Weee Directive	Yes