


02 Recessed Spots Fixed LED>The Trimless Mini Range Aluminium

10103BTR/B/W



3W Recessed Trimless Dark Light LED spot with white ring and black reflector, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004



89004T



Physical Specification

| | |
|------------|-----------------------------------|
| Item Group | 02 Recessed Spots Fixed LED |
| Family | The Trimless Mini Range Aluminium |
| Order Code | 10103BTR/B/W |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |

| | |
|---------------------------|------|
| Height | 61mm |
| Diameter | 35mm |
| Cutout Hole Diameter | 40mm |
| Recessed trimless ceiling | Yes |
| Depth Required | 80mm |
| Indoor | Yes |
| Adjustable | No |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 3W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Bridgelux |
| Cable Length | 40cm |
| F Mark |  |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 240lm |
| Light Efficiency | 80lm/W |
| CRI | 90 |
| Beam Angle | 36° |
| Illumination Diagram |  |
| Dark Light | Yes |

Packing Info

| | |
|------------|---------------|
| Box Length | 5,5cm |
| Box Width | 5,5cm |
| Box Height | 7cm |
| Pcs/Carton | 100 |
| Barcode | 5291889058366 |
| HS Code | 9405409900 |

Certification & Warranty

| | |
|----------------|---------|
| Warranty | 5 Years |
| Weee Directive | Yes |