


06 Downlights Fixed LED>Dark Light Downlights Aluminium

10105E/AL/C



5W LED Dark Light recessed spot IP40.

Requires 500mA driver.

Complies with standard EN60598-1 and any other specific standards.














Downloads







Dimensions



Gallery



Physical Specification

FamilyDark Light Downlights AluminiumOrder Code10105E/AL/CColourAluminiumMaterialNatural AluminiumShapeCircularHeight95mm	Item Group	06 Downlights Fixed LED
ColourAluminiumMaterialNatural AluminiumShapeCircular	Family	Dark Light Downlights Aluminium
Material Natural Aluminium Shape Circular	Order Code	10105E/AL/C
Shape	Colour	Aluminium
	Material	Natural Aluminium
Height 95mm	Shape	Circular
	Height	95mm

Diameter	100mm
Cutout Hole Diameter	85mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No

Electrical Characteristics


Fitting	
Input Type	Constant Current
Input Current	500mA
Safety Class	ŢIII>
Power(Watts)	5W
IP Rating	IP40
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
Cable Length	40cm
F Mark	F

Colour Temperature 4000K Lumen Output 375Im Light Efficiency 75Im/W CRI 80 Illumination Diagram Dark Light 1

Packing Info

Box Length	11cm
Box Width	11cm
Box Height	11cm
Box Weight	0,45kg
Pcs/Carton	20
Barcode	5291889032878
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	3 Years
Weee Directive	Yes