

02 Recessed Spots Fixed LED>The Fire Rated IP65 Range

10106PF/W



6W COB LED fire rated recessed spot IP65 with interchangeable rings.

Requires 350mA driver. Ring must be ordered seperately.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions


Dimensions are complete with the ring.



Gallery




Must be ordered separately



050042/B




050042/C



050042/MC



050042/W



050042A/C



050042A/MC





89008

## Physical Specification


|                      |                             |
|----------------------|-----------------------------|
| Item Group           | 02 Recessed Spots Fixed LED |
| Family               | The Fire Rated IP65 Range   |
| Order Code           | 10106PF/W                   |
| Material             | Die Cast                    |
| Shape                | Circular                    |
| Height               | 70mm                        |
| Diameter             | 83mm                        |
| Cutout Hole Diameter | 68mm                        |
| Recessed Ceiling     | Yes                         |
| Depth Required       | 90mm                        |
| Indoor               | Yes                         |
| Outdoor              | Yes                         |
| Adjustable           | No                          |

## Electrical Characteristics

### Fitting

|               |   |
|---------------|---|
| Input Type    | Constant Current  |
| Input Current | 350mA   |
| Safety Class  |  |
| Power(Watts)  | 6W  |
| IP Rating     | IP65  |
| Light Source  | LED built in  |
| LED Type      | COB   |
| LED Brand     | Bridgelux   |
| Cable Length  | 40cm  |
| F Mark        |  |


## Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 500lm   |
| Light Efficiency     | 83,33lm/W   |
| CRI                  | 80  |
| Beam Angle           | 40°   |
| Illumination Diagram |  |

## Packing Info

|            |               |
|------------|---------------|
| Box Length | 12cm          |
| Box Width  | 10cm          |
| Box Height | 8,5cm         |
| Box Weight | 0,286kg       |
| Pcs/Carton | 20            |
| Barcode    | 5291889047056 |
| HS Code    | 9405409900    |

## Energy Label



Warranty

---

3 Years

---

Weee Directive

---

Yes

---