

06 Downlights Fixed LED>The Semi Dark Light COB Pro Range

10107CD/W/C



7W COB LED semi dark light recessed downlight, IP20.

Complete with 300mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions







60mm

Gallery





Physical Specification


Item Group	06 Downlights Fixed LED
Family	The Semi Dark Light COB Pro Range
Order Code	10107CD/W/C
Colour	White
Material	Die Cast
Shape	Circular
Height	60mm

Culout Hole Diameter 100mm Recessed Ceiling Yes Depith Required 70mm Indoor Yes Adjustable No External Production	Diameter	110mm
Depth Required Indoor Indoor Adjustable Bestiese Cheerotoristics Gear External-Included Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) Fitting Input Type Input T	Cutout Hole Diameter	100mm
Indicor Adjustable Adj	Recessed Ceiling	Yes
Adjustable Recircal Characteristics Gear Estemal-Included Fitting + Driver Input Voltage 220-240V Yes 50 Hz Yes Safety Class Power(Watts) IP Rating Input Type Input Type Input Type Input Type Input Current Voltage Safety Class Power(Watts) Input Type Input Type Input Current Voltage Safety Class Power(Watts) Fitting Input Type Input Current Voltage Safety Class Power(Watts) Fitting Input Type Input Type Input Type Input Type Input Type Input Type Input Current SomA Voltage Safety Class Power(Watts) Fitting IP Rating IP 20 Light Source	Depth Required	70mm
External-included	Indoor	Yes
Fitting + Driver Input Voltage 50 Hz 60 Hz Yes 60 Hz Yes Safety Class Power(Watts) IP Rating Light Source Light Surce Input Type Input Type Input Current Voltage 19V Safety Class 100mA Voltage 19V Safety Class 10P Saf	Adjustable	No
Fitting + Driver Input Voltage 50 Hz 60 Hz Yes 60 Hz Yes Safety Class Power(Watts) IP Rating Light Source Light Surce Input Type Input Type Input Current Voltage 19V Safety Class 100mA Voltage 19V Safety Class 10P Saf		
Fitting + Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class □ Power(Watts) 7W IP Rating IP20 Light Source LED built in Dimmable No F Mark ∇oltage Yes Input Type Constant Current Input Current 300mA Voltage 19V Safety Class □ Power(Watts) 19V Safety Class □ IP20 Light Source LED built in Input Type Constant Current Input Current 300mA Voltage 19V Safety Class □ Power(Watts) 19V IP Rating IP20 Light Source LED built in LED Type (COS	Electrical Characteristics	
Fitting + Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class □ Power(Watts) 7W IP Rating IP20 Light Source LED built in Dimmable No F Mark ∇oltage Yes Input Type Constant Current Input Current 300mA Voltage 19V Safety Class □ Power(Watts) 19V Safety Class □ IP20 Light Source LED built in Input Type Constant Current Input Current 300mA Voltage 19V Safety Class □ Power(Watts) 19V IP Rating IP20 Light Source LED built in LED Type (COS		
Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class □ Power(Watts) 7W IP Rating IP20 Light Source LED built in Dimmable No F Mark ▼ Fitting Constant Current Input Type 300mA Voltage 19V Safety Class □ Power(Watts) 5,7W IP Rating IP20 Light Source LED built in LED Type COB	Gear	External-Included
Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class □ Power(Watts) 7W IP Rating IP20 Light Source LED built in Dimmable No F Mark ▼ Fitting Constant Current Input Type 300mA Voltage 19V Safety Class □ Power(Watts) 5,7W IP Rating IP20 Light Source LED built in LED Type COB	Fitting + Driver	
Yes		
Safety Class Power(Watts) IP Rating Light Source F Mark Fitting Input Type Input Current No Safety Class Power(Watts) Fower(Watts) IP Rating Light Source LED built in No Constant Current Input Current 19∨ Safety Class Power(Watts) IP Rating LED built in Constant Current 19∨ Light Source LED built in Constant Current LED built in		
Safety Class □ Power(Watts) 7W IP Rating IP20 Light Source LED built in Dimmable No F Mark F Fitting Input Type Input Type Constant Current Input Current 300mA Voltage 19V Safety Class Power(Watts) Fower(Watts) IP Rating LED Type LED built in LED Type COB		
Power(Watts) IP Rating Light Source Light Source Dimmable F Mark Fitting Input Type Input Current Voltage Safety Class Power(Watts) IP Rating IP Rating IP 20 Constant Current 19V Safety Class Fitting IP Rating IP Rating IP Rating Light Source LED built in COB		res
IP Rating IP20 Light Source LED built in Dimmable No F Mark ▼ Fitting Constant Current Input Type Source Input Current 19V Safety Class 19V Power(Watts) 5,7W IP Rating IP20 Light Source LED built in LED Type COB		7\\\
Light Source LED built in Dimmable No F Mark F Fitting Input Type Input Current Input Current Voltage Safety Class Power(Watts) IP Rating Light Source LED Type LED Type LED built in Constant Current 300mA Constant Current 300mA Fower(Watto) 5,7W LED built in COB COB COB COB COB COB COB CO		
Dinmable No F Mark F Fitting Constant Current Input Type Constant Current Input Current 300mA Voltage 19V Safety Class IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		
Fitting Fitting Input Type Input Current Input Current Safety Class Power(Watts) IP Rating LED Type Fitting For Amarch Constant Current 300mA 19V 5,7W LED built in LED Surge Constant Current LED Current Annual Current LED Current Constant Current Annual Current Annual Current LED Surge LED built in LED Constant Current LED Current Annual Current LED Surge LED Surge Constant Current Constant Current Constant Current Constant Current Constant Current LED Surge Constant Current Cons		
Fitting Input Type Input Current Voltage Safety Class Power(Watts) IP Rating LED Type Constant Current 19V 5,7W IP20 LED built in COB		
Input Type Constant Current 300mA Voltage 19V Safety Class Power(Watts) IP Rating Light Source LED Type Constant Current Long Land Current Leng Land Current Land Current Leng Land Current Land Curr	- Iviair	V
Input Type Constant Current 300mA Voltage 19V Safety Class Power(Watts) IP Rating Light Source LED Type Constant Current Long Land Current Leng Land Current Land Current Leng Land Current Land Curr	Fitting	
Input Current Voltage 19V Safety Class Power(Watts) IP Rating LED Type 300mA 19V 19V 19V 19V 19V 19V 19V 19	Input Type	Constant Current
Voltage19VSafety Class∰Power(Watts)5,7WIP RatingIP20Light SourceLED built inLED TypeCOB		
Safety Class Power(Watts) IP Rating Light Source LED Type COB		
Power(Watts) 5,7W IP Rating IP20 Light Source LED Type COB		
IP RatingIP20Light SourceLED built inLED TypeCOB		5.7W
Light Source LED built in COB		
LED Type COB		
		•

F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3,6-6,2W
Power Factor	0,95
Constant Current	Yes
300mA	12-21V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	85°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Kegu
Illumination Data	
Colour Tomporoturo	4000K
Colour Temperature	560lm
Lumen Output Light Efficiency	80lm/W
CRI	80
	180°
Beam Angle Illumination Diagram	100
Packing Info	
Box Length	13cm

Box Width	13cm
Box Height	8cm
Box Weight	0,310kg
Pcs/Carton	30
Barcode	5291889042150
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes