

02 Recessed Spots Fixed LED>The 7W Dark Light Range

10107DC/B/W



7W COB LED Dark Light spot with a beam angle of 50°. Ideal for commercial and residential application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads











Dimensions



Gallery





Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 7W Dark Light Range
Order Code	10107DC/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	83mm

Diameter	67mm
Cutout Hole Diameter	55mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No
ectrical Characteristics	
0	Estemal la divida d
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Cable Length	15cm
F Mark	F
Fitting	
Input Type	Constant Current
Safety Class	
Power(Watts)	6,3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Epistar
LED Number	1

F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2W-7,2W
Power Factor	0,9
Constant Current	Yes
300mA	0
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise
Illumination Data	
Colour Temperature	3000K
Lumen Output	560lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	
Dark Light	Yes
<u> </u>	

Packing Info

Box Length	9cm
Box Width	7cm
Box Height	11cm
Box Weight	0,23kg
Pcs/Carton	50
Barcode	5291889052579
HS Code	9405409900

Certifica	tion	ጼ	٤١٨١	arrar	ntv.
Certifica	LIOIT	α	V V (anai	ILΥ

Warranty	2 Years
Weee Directive	Yes