

02 Recessed Spots Fixed LED>LED Decorative Range

10107R/W/W



5W SMD LED Decorative range recessed spot, IP20.

Complete with 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	LED Decorative Range
Order Code	10107R/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	40mm
Diameter	109mm
Cutout Hole Diameter	95mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes


Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	5W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	350mA
Input Current Voltage	350mA 12,4V
Voltage	12,4V
Voltage Safety Class	12,4V <u>(III)</u>
Voltage Safety Class Power(Watts)	12,4V

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4-8W
Power Factor	0,5
Constant Current	Yes
350mA	11,5-23V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise
Protection	Short Circuit Protection
Illumination Data	
Illumination Data	
Illumination Data Colour Temperature	3000K
	3000K 270lm
Colour Temperature	
Colour Temperature Lumen Output	270lm
Colour Temperature Lumen Output Light Efficiency	270lm 54lm/W
Colour Temperature Lumen Output Light Efficiency CRI	270lm 54lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	270lm 54lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram Dark Light	270lm 54lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	270lm 54lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram Dark Light	270lm 54lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram Dark Light Packing Info	270lm 54lm/W 80 Yes
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram Dark Light Packing Info Box Length	270lm 54lm/W 80 Yes
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram Dark Light Packing Info Box Length Box Width	270lm 54lm/W 80 Yes 11cm

Pcs/Carton	30
Barcode	5291889046110
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes