

06 Downlights Fixed LED>The Budget Downlight Range Aluminium

10107T/W/C



7W SMD LED recessed downlight, budget range, IP20.

Complete with 280mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery




Physical Specification

Item Group	06 Downlights Fixed LED
Family	The Budget Downlight Range Aluminium
Order Code	10107T/W/C
Colour	White
Material	Aluminium
Shape	Circular
Height	42mm

Diameter	116mm
Cutout Hole Diameter	85mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	280mA
Voltage	21V
Safety Class	
Power(Watts)	5,9W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

4,2-7W

Power Factor

0,5

Constant Current

Yes

Output

280mA

Voltage Range

15-25V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Brand

Kegu

Illumination Data

Colour Temperature

4000K

Lumen Output

520lm

Light Efficiency

74,3lm/W

CRI

80

Beam Angle

120°

Illumination Diagram



Packing Info

Box Length


12cm

Box Width

12cm

Box Height	6cm
Box Weight	0,190kg
Pcs/Carton	60
Barcode	5291889045786
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes