

02 Recessed Spots Fixed LED>The 8W Asymmetric Range

10108A/W/W



8W COB LED Recessed Assymmetric Spot.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery






Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 8W Asymmetric Range
Order Code	10108A/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	74mm

Diameter	81mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	85mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	20V
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree

## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

5-8,4W

Power Factor

0,9

Constant Current

Yes

350mA

14-24V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Brand

Lifud

Protection

Short Circuit and Overload

## Illumination Data

Colour Temperature

3000K

Lumen Output

560lm

Light Efficiency

70lm/W

CRI

80

Beam Angle

50°

Illumination Diagram



Dark Light

Yes

## Packing Info

Pcs/Carton

20

Barcode

5291889066224

HS Code

9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes