

02 Recessed Spots Fixed LED>The Dark Light Range

10108D1/W/W



8W COB LED Dark light recessed Spot.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery






Physical Specification

| | |
|------------|-----------------------------|
| Item Group | 02 Recessed Spots Fixed LED |
| Family | The Dark Light Range |
| Order Code | 10108D1/W/W |
| Colour | White |
| Material | Die Cast |
| Shape | Circular |
| Height | 85mm |

| | |
|----------------------|-------|
| Diameter | 88mm |
| Cutout Hole Diameter | 73mm |
| Recessed Ceiling | Yes |
| Depth Required | 105mm |
| Indoor | Yes |
| Adjustable | No |

Electrical Characteristics

| Gear | External-Included |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 8W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| Fitting | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 300mA |
| Voltage | 24V |
| Safety Class |  |
| Power(Watts) | 7,2W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Sanan |

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

8,75-15,2W

Power Factor

0,9

Constant Current

Yes

300mA

14-24V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Brand

Lifud

Protection

Short Circuit and Overload

Illumination Data

Colour Temperature

3000K

Lumen Output

560lm

Light Efficiency

70lm/W

CRI

80

Beam Angle

36°

Illumination Diagram



Dark Light

Yes

Packing Info

Pcs/Carton

50

Barcode

5291889063537

HS Code

9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes