

06 Downlights Fixed LED>The COB Project Round Range

10110K/G/W



10W COB LED project round range downlight, IP53.

Complete with 250mA dimmable driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Gallery





Physical Specification


Item Group	06 Downlights Fixed LED
Family	The COB Project Round Range
Order Code	10110K/G/W
Colour	Grey
Material	Die Cast
Shape	Circular
Height	125mm

Diameter	137mm
Cutout Hole Diameter	122mm
Recessed Ceiling	Yes
Depth Required	150mm
Indoor	Yes
Adjustable	No
lectrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP53
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	36V
Safety Class	TIII V
Power(Watts)	9W
IP Rating	IP53
Light Source	LED built in
LED Brand	GH

F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8,75-10,5W
Power Factor	0,9
Constant Current	Yes
250mA	35-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	40°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable
Illumination Data	
O alla con Tarana a materia	000014
Colour Temperature	3000K
Light Efficiency	600lm
Light Efficiency CRI	60lm/W
	80 100°
Beam Angle	100°
Illumination Diagram	
Packing Info	
Box Length	14,5cm
Box Width	14,5cm

Box Height	13,5cm
Box Weight	0,64kg
Pcs/Carton	24
Barcode	5291889028147
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes